

Industrial

Compact 6240 Series Keyboards



**Compact Keyboards with
Integrated Touchpad for
Industrial Applications**

Main Applications

- Rack Mount Systems
- Airlines
- Education/Schools
- Banking
- Medical Equipment
- Automotive Equipment
- POS/POT
- Office/Data Entry
- White Box PCs
- Field Services
- Test Equipment
- Kiosk Applications
- POS/POT
- Manufacturing
- Transport

Key Features

- Full QWERTY Key Layout in Compact 14" Form Factor Combines Maximal Space Efficiency with Uncompromized Alphanumeric Data Entry
- Enhanced US 106 Position Key Layout
- Robust Product Design with IP 54 Spill and Dust Resistant Key Field for Harsh Environments
- Touchpad Ensures Easy Cursor Navigation with Minimal Desktop Surface
- Yellow Status LEDs for Improved Visibility in Rooms with Artificial Illumination
- Numeric Pad includes "00" Key for Fast Currency Typing

Part Numbers

- G86-62401EUADAA**
Black
- G86-62401EUAEAA**
Lt. grey

Industrial

Compact 6240 Series Keyboards

Technical Data

Interface

USB 2.0

Current Input

typ. 35 mA

Touchpad

Resolution: 1000 dpi
Two switch-activated mouse buttons

Cable Length

Approx. 1.85 m

Key Layout

Compact size 106 position US key
layout including Windows keys

Weight (without/with packaging)

1.4 kg/1.6 kg

Dimension

360 x 198 x 38 mm (keyboard)
415 x 260 x 50 mm (packaging)

Packaging Units

25 per master carton
8 master cartons per pallet

Keyswitch Lifetime

25 million operations

Storage Temperature

-20°C to 60°C

Operating Temperature

0°C to 50°C

Approvals

cURus, FCC, CE, BSMI, VCCI,
C-Tick, GOST-R, WHQL

Delivery Volume

Keyboard, Quick Guide,
CDROM

Warranty

2 years

For information on repairs or
warranty status contact:
Cherry Technical Support
Phone: 800.510.1689
E-Mail: keyboardsupport@cherrycorp.com

Contact

Call, fax or visit our
website for more information.

ZF Electronics Corporation

11200 88th Avenue
Pleasant Prairie, WI 53158

Phone: 262.942.6500
Web: www.cherrycorp.com

E-Mail: cep_sales@zf.com
Fax: 262.942.6566

Last Update: 2/23/10

The manufacturer accepts no
liability for errors or non-availability,
and reserves the right to change
specifications without prior notice.

Technical data relates to product
specifications only. Features may
differ from those described.
Only drawings combined with
product specifications shall be
deemed binding.

© 2007 ZF Electronics Corporation

